


















Atlas Copco	Thread	Length (mm)	Diameter (mm)	Weight (kg)	Part NO.
<p>Atlas copco 125/130/131</p> 	R32 T38 T45	415 380 380	38.3 38.3 38.3	2.7 3.0 3.0	Cop125R32415383 Cop130T38380383 Cop131T45380383
<p>Atlas copco BBE57</p> 	T38	447	45	5.9	CopBBE57T38447450
<p>Atlas copco BBE57</p> 	R38 T38 T45	447 540 550	45 45 45	5.0 5.3 5.9	CopBBE57R38447450 CopBBE57T38540450 CopBBE57T45550450
<p>Atlas copco1036/1038/1238</p> 	Drifting				
	R32 SR35 R38 T38	485 485 485 485	38 38 38 38	4.0 4.1 4.2 4.2	Cop1036R32485380 Cop1036SR35485380 Cop1036R38485380 Cop1036T38485380
	Bench drilling				
	R32 T38 T45	500 500 500	38 38 45	4.0 4.4 5.0	Cop1038R32500380 Cop1038T38500380 Cop1038R32500450
	Bench drilling, long hole drilling				
	R32 R38 T38 T45 R32 TC35 R38 T38	575 575 575 575 575 575 575 575	38 38 38 45 45 45 45 45	4.6 4.7 4.9 5.8 5.2 5.4 5.4 5.4	Cop1238R32575380 Cop1238R38575380 Cop1238T38575380 Cop1238T45575380 Cop1238R32575380 Cop1238TC35575380 Cop1238R38575380 Cop1238T38575380







Atlas Copco	Thread	Length (mm)	Diameter (mm)	Weight (kg)	Part NO.
Atlas copco 2160 Extractor 	T45	770	63	13.2	Cop2160ET45770630
	T51	770	63	13.3	Cop2160ET51770630
Atlas copco 1440/1550/1638/1838/2238 	Bench drilling				
	R32	525	52	5.7	Cop1440R32525520
	TC35	525	52	5.8	Cop1440TC35525520
	T38	525	52	5.9	Cop1440T38525520
	T45	525	52	6.1	Cop1440T45525520
	T51	525	52	6.5	Cop1440T51525520
	Drifting				
	R32	435	38	3.6	Cop1550R32435380
	R38	435	38	3.9	Cop1550R38435380
	T38	435	38	3.8	Cop1550T38435380
	long hole drilling				
	R32	525	38	4.2	Cop1838R32525380
	R38	525	38	4.3	Cop1838R38525380
	T38	525	38	4.3	Cop1838T38525380
	SR38	525	38	4.7	Cop1838SR38525380
Atlas copco 1850 	T51	565	52	7.2	Cop1238T51565520
Sandvik Tamrock	Thread	Length (mm)	Diameter (mm)	Weight (kg)	Part NO.
Sandvik/Tamrock 438/538 	Bench drilling, Drifting				
	R32	430	38	3.0	Tam438R32430380
	Bolting, drifting				
	T38	380	38	3.0	Tam438T38380380
	Bench drilling, Drifting				
	T38	495	38	4.2	Tam438T38495380
Sandvik/Tamrock HL300 	Bench drilling				
	R32	400	32	2.6	Tam300R32400320

<p>Sandvik/Tamrock HL300S</p> 	Bench drilling				
	R32	245	45	2.6	Tam300SR32245450
<p>Sandvik/Tamrock HL600,HL600S</p> 	Bench drilling, Drifting				
	R32	600	45	6.0	Tam600R32600450
	T38	600	45	6.0	Tam600T38600450
	T45	600	45	6.4	Tam600T45600450
	Drifting, Production drilling				
	T38	525	45	5.6	Tam600T38525450
	T45	525	45	5.8	Tam600T45525450
<p>Sandvik/Tamrock HL700,HL800</p> 	Bench drilling				
	T45	600	45	7.2	Tam700T45600450
	T38	600	52	8.0	Tam700T38600520
	T45	600	52	8.5	Tam700T45600520
	T51	600	52	8.5	Tam700T51600520
<p>Sandvik/Tamrock HL1500</p> 	Bench drilling				
	T60	760	60	14.3	Tam1500T60760600
<p>Sandvik/Tamrock HL500,HL500S,HL550S,560S</p> 	Bench drilling				
	R32	460	38	4.3	Tam500R32460380
	R38	500	38	3.7	Tam500T38500380
	T38	550	45	5.3	Tam500T38550450
	T38	550	38	4.6	Tam500T38550380
	T45	550	45	4.5	Tam500T45550450
	Drifting, Production drilling				
	R32	460	38	3.9	Tam500SR32460380
	R32	460	45	4.9	Tam500SR32460450
	R38	460	38	4.2	Tam500SR38460380
	T38	460	38	4.2	Tam500ST38460380
	Drifting				
	R38	500	45	5.3	Tam560SR38500450
	T38	500	45	5.3	Tam560ST38500450
	SR38	500	45	5.4	Tam560SSR38500450
<p>Sandvik/Tamrock HL1500</p> 	Production drilling				
	ST58	635	80	18.1	Tam1500ST58635800
	ST68	635	80	18.3	Tam1500ST68635800

Ingersoll Rand	Thred	Length (mm)	Diameter (mm)	Weight (kg)	Part NO.
Ingersoll Rand YH65/70 	Bench drilling				
	T38 T45	700 700	45 45	5.2 5.5	IngYH65T38700450 IngYH65T38700450
Ingersoll Rand YH95/YH100 	Bench drilling				
	T51	625	51	8.2	IngYH95T51625510
Ingersoll Rand VL120/VL140 	Drifting				
	R32 R38 T38 T45	381 381 381 381	44.3 44.3 44.3 44.3	3.4 3.6 3.7 3.9	IngYH120R32381443 IngYH120R38381443 IngYH120T38381443 IngYH120T45381443
	Drifting				
	T38	446	44.3	4.0	IngYH120T38446443
	Bench drilling				
Ingersoll Rand EVL130/VL140 	Bench drilling				
	T38 T45	350 350	44.2 44.2	3.9 4.2	IngEVL130T38350442 IngEVL130T45350442
Ingersoll Rand YH45/YH50/YH55 	Bench drilling				
	T38	440	38	3.8	IngYH55T38440380
Montabert and SIG					
Montabert and SIG HC80/HC120 	Bench drilling				
	T45 T45	490 590	45 45	5.6 6.4	MonHC80T45490450 MonHC80T45590450
Montabert and SIG HC80R/HC120R/HC150R 	Bench drilling				
	T45 T51	770 770	51 51	10.2 10.3	MonHC80RT45770510 MonHC80RT51770510

Boart Long year	Thread	Length (mm)	Diameter (mm)	Weight (kg)	Part NO.
Boart HD155 	R32	580	54.6	8.6	BoaHD155R32580546
Furukawa	Thread	Length (mm)	Diameter (mm)	Weight (kg)	Part NO.
Furukawa HD90 	Drifting				
	R38	515	40	4.3	FurHD90R38515400
Furukawa HD300 	Drifting				
	T38	654	44.7	6.0	FurHD300T38654447
	T45	654	44.7	6.7	FurHD300T45654447
Furukawa HD612 	Bench drilling				
	T45	715	50.8	8.9	FurHD612T45715508
Furukawa HD609 	Bench drilling				
	T38	690	44.7	6.3	FurHD609T38690447
	T45	620	44.7	6.4	FurHD609T45620447
Furukawa HD615 	Bench drilling				
	T45	700	57.8	11.5	FurHD615T45700578
	T51	700	57.8	11.7	FurHD615T51700578

Part number explanation:



Note:

1, This catalogue only shows some typical items we are supplying, many other items are available upon request.

2, This catalogue is only for reference usage, Sinodrills reserves the right to make changes at any time without prior notice.